

2652
265

ML 80431

LSE #43056

S-490

FILE NOTATIONS

Entered in NID File _____ ✓
Entered On S R Sheet _____
Location Map Pinned _____ ✓
Card Indexed _____ ✓
I W R for State or Fee Land _____

Checked by Chief _____ *RLL*
Copy, NID to Field Office _____
Approval Letter _____
Disapproval Letter _____

COMPLETION DATA:

Date Well Completed _____
OW _____ WW _____ TA _____
GW _____ OS _____ PA _____


Location Inspected _____
Bond released _____
State of Fee Land _____

LOGS FILED

Driller's Log _____

Electric Logs (No.) _____

E _____ I _____ E-I _____ GR _____ GR-N _____ Micro _____
Lat _____ MIN _____ Sonic _____ Others _____



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION
SALT LAKE CITY, UTAH

Fee and Patented.....☒
State☐
Lease No.
Public Domain☐
Lease No.
Indian☐
Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill..... Notice of Intention to Change Plans..... Notice of Intention to Redrill or Repair..... Notice of Intention to Pull or Alter Casing..... Notice of Intention to Abandon Well.....	<input checked="" type="checkbox"/> 	Subsequent Report of Water Shut-off..... Subsequent Report of Altering Casing..... Subsequent Report of Redrilling or Repair..... Supplementary Well History.....	
--	---	--	------------------------------

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 19, _____, 19 62

23-15

* Well No. Behling..... is located 1940 ft. from $\begin{Bmatrix} N \\ S \end{Bmatrix}$ line and 2020 ft. from $\begin{Bmatrix} E \\ W \end{Bmatrix}$ line of Sec. 15

NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 15 T. 20 S., R. 7 E., S.L.

(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Ferron Emery Utah

(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5883 feet. (Same as ground elevation)

A drilling and plugging bond has been filed with State Conservation Commission

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

1. Drill 10-5/8" surface hole with air and set 150' of 7-5/8" casing with 50 sacs.
2. Drill additional 850' of 6-3/4" hole below surface casing with air thru the Ferron sandstone into the Tununk shale.
 Top of Ferron 730'
 Top of Tununk 930'
3. After logging, set 4-1/2" casing to total depth with 100 sacs.
4. Perforate in the gas bearing sandstone intervals, frac., and test.
5. Complete, if testing indicates commercial volumes of gas.

* Drilling Unit #15

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company ENGLISH OIL COMPANY

Address 366 South Fifth East Street

Salt Lake City, Utah

By


Title

M. Darwin Quigley
M. Darwin Quigley
Chief Geologist

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

Township No. 20 S.

Range No. 7 E.



Meridian Line, S.L.

Base Line,

Standard Line

Township Lines,

The location was selected so as to not interfere with fields under cultivation.

Section Line,

Meander Lines,


Office Work,

Ranch Lines Re-Survey,

71389

ENGLISH OIL CO

Section 15 T20S, R20E, SL.M.



N

Scale 1"=1320'

23-15 Behling

ENGINEER'S CERTIFICATE

JOHN BENE, a licensed Civil Engineer and Land Surveyor of the State of Utah, hereby certifies that between the 24th day of March, 1962 and 29th day of March, 1962, he surveyed in the above location and prepared the plat from his field notes; and to the best of his knowledge, the plat is correctly drawn.

John Bene
JOHN BENE
Utah License #1050
3/29/62

ENGLISH OIL CO
Location NE 1/4 Sec 15-20-20
Emery County Utah
Survey by John Bene CE
Utah #1050
3/29/62

March 21, 1962

English Oil Company
366 South 5th East
Salt Lake City, Utah

Attn: M. Darwin Quigley, Chief Geologist

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Behling #23-15, which is to be located 1940 feet from the south line and 2020 feet from the west line of Section 15, Township 20 South, Range 7 East, SLEM, Emery County, Utah.

Please be advised that approval to drill said well is hereby granted in accordance with Drilling Unit #15 established in the Order issued for Cause No. 7, on December 13, 1957. However, said approval is conditional upon a bond being filed with this Commission prior to the well being spudded in.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Please take note that should it be necessary to plug and abandon said well you are hereby requested to give advance notice of the date and time said plugging will take place to one of the following named individuals, by phone or otherwise, in order that our petroleum engineer may be present to inspect the manner in which the well is being plugged:

C. B. FREIGHT, Executive Director
Office Phone: DA 8-5771 or DA 8-5772
Home Phone: HU 5-2721

ROBERT L. SCHMIDT, Chief Petroleum Engineer
Office Phone: DA 8-5771 or DA 8-5772
Home Phone: AM 6-8616

English Oil Company
Attn: M. Darwin Quigley, Chief Geologist

March 21, 1962
Page Two

Address all other forms of communication to the Utah State Oil and Gas Conservation Commission, 310 Newhouse Building, Salt Lake City, Utah.

Please have the enclosed "Minimum Safety Requirements" notice posted in a conspicuous place on the drilling location.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION


CLEON B. FEIGHT,
EXECUTIVE DIRECTOR

DBF:kpb
Enclosure

cc: H. L. Coonts - OGCC, Moab

(SUBMIT IN DUPLICATE)

LAND:



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION
SALT LAKE CITY, UTAH

Fee and Patented.....☒
State☐
Lease No.
Public Domain☐
Lease No.
Indian☐
Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....	<input checked="" type="checkbox"/>	Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....	<input type="checkbox"/>	Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....	<input type="checkbox"/>	Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....	<input type="checkbox"/>	Supplementary Well History.....	
Notice of Intention to Abandon Well.....	<input type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

(REVISED) March 29, 1962

* Well No. 23-15 Behling is located 1923 ft. from $\begin{matrix} N \\ S \end{matrix}$ line and 2008 ft. from $\begin{matrix} E \\ W \end{matrix}$ line of Sec. 15

$\frac{1}{4}$ Sec. 15 T. 20 S. R. 7 E. S. 15
($\frac{1}{4}$ Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Ferron Emery Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5878.85 feet. (Same as ground elevation)

A drilling and plugging bond has been filed with State Conservation Commission

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

1. Drill 10-5/8" surface hole with air and set 150' of 7-5/8" casing with 50 sacs.
2. Drill additional 850' of 6-3/4" hole below surface casing with air thru the Ferron Sandstone into the Tununk Shale.
Top of Ferron 730'
Top of Tununk 930'
3. After logging, set 4-1/2" casing to total depth with 100 sacs.
4. Perforate in the gas bearing sandstone intervals, frac., and test.
5. Complete, if testing indicates commercial volumes of gas.

* Drilling Unit #15

I understand that this plan of work must receive approval in writing by the Commission before operations may

Company ENGLISH OIL COMPANY


Address 366 South Fifth East Street
Salt Lake City 2, Utah

By Robert A. Patterson
Title Chief Landman

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, producing wells, within an area of sufficient size so that the Commission may determine whether the forms to applicable rules, regulations and orders.

ENGLISH OIL CO

Section 15 T20S, R20E, SLM.



23-15 Behling

ENGINEER'S CERTIFICATE

JOHN BENE, a licensed Civil Engineer and Land Surveyor of the State of Utah, hereby certifies that between the 24th day of March, 1962 and 29th day of March, 1962, he surveyed in the above location and prepared the plat from his field notes; and to the best of his knowledge, the plat is correctly drawn.

John Bene
JOHN BENE
Utah License #1050
3/29/62

ENGLISH OIL CO
Location NE 1/4 SW 1/4 Sec 15-20-20
Emery County Utah
Survey by John Bene CE
Utah #1050
3/29/62

April 5, 1962

English Oil Company
366 South 5th East
Salt Lake City, Utah

Attn: Robert A. Patterson, Chief Landman

Gentlemen:

This is to acknowledge receipt of your revised notice of intention to drill Well No. Behling #23-15, which is to be located 1923 feet from the south line and 2008 feet from the west line of Section 15, Township 20 South, Range 7 East, S15M, Emery County, Utah.

Please be advised that approval to drill said well is hereby granted in accordance with Drilling Unit #15 established in the Order issued for Cause No. 7, on December 13, 1957.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Please take note that should it be necessary to plug and abandon said well you are hereby requested to give advance notice of the date and time said plugging will take place to one of the following named individuals, by phone or otherwise, in order that our petroleum engineer may be present to inspect the manner in which the well is being plugged:

C. B. FEIGHT, Executive Director
Office Phone: DA 8-5771 or DA 8-5772
Home Phone: HU 5-2721

ROBERT L. SCHMIDT, Chief Petroleum Engineer
Office Phone: DA 8-5771 or DA 8-5772
Home Phone: AM 6-8616

English Oil Company
Attn: Robert A. Patterson, Chief Landman

April 5, 1962
Page Two

Address all other forms of communication to the Utah State Oil and Gas Conservation Commission, 310 Newhouse Building, Salt Lake City, Utah.

Please have the enclosed "Minimum Safety Requirements" notice posted in a conspicuous place on the drilling location.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT,
EXECUTIVE DIRECTOR

CBF:kb
Enclosure

cc: H. L. Coonts - OGCC, Moab

PACIFIC NATURAL GAS EXPLORATION COMPANY

720 WEST EIGHTH STREET
LOS ANGELES 17, CALIFORNIA

April 12, 1962

H. L. BOSSHARD
TREASURER AND
ASSISTANT SECRETARY

Mr. Don F. Russell
U. S. Department of the Interior
Geological Survey
Branch of Oil and Gas Operations
445 Federal Building
Salt Lake City 1, Utah

Mr. Allen B. Knight
Oil and Gas Conservation Commission
310 Hawthorne Building
10 Exchange Place
Salt Lake City 11, Utah

Mr. Max Gardner
Utah State Land Board
Capitol Building
Salt Lake City 1, Utah

Gentlemen:

As of February 28, 1962, Pacific Natural Gas Exploration Company and English Oil Company entered into a farmout agreement covering the drilling of certain wells by Pacific on English's acreage in the Parren Field area, Emery County, Utah.

It is the intent and agreement of the parties to this farmout that Pacific is the interested and responsible party in the drilling of said wells, and English is only acting as Pacific's agent in supervising the drilling of the wells.

Yours very truly,

H. L. Bosshard

HLB:rb

cc: Mr. R. A. Patterson

October 24, 1962

English Oil Company
366 South 5th East
Salt Lake City, Utah

Attention: Robert A. Patterson, Chief Landman

Re: Well No. Behling #23-15
Sec. 15, T. 20 S, R. 7 E.,
Emery County, Utah

Gentlemen:

This is to notify you that our approval to drill the above mentioned well which was granted in our letter of April 5, 1962, is hereby terminated. This approval is terminated because you failed to spud in within the time prescribed.

If and when you should decide to drill this well, it will be necessary for you to again file a notice of intention to drill and obtain this Commission's approval.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
EXECUTIVE DIRECTOR

CBF:enp

cc: Pacific Natural Gas Exploration Company
720 West Eighth Street
Los Angeles 17, California

Copy H.L.C.
STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

Salt Lake City 14, Utah

REPORT OF OPERATIONS AND WELL STATUS REPORT

State Utah County Emery Field or Lease Ferron

The following is a correct report of operations and production (including drilling and producing wells) for
May 1, 1962 through
November 30, 1962.

Agent's address 366 South Fifth East St.

Company

PACIFIC NATURAL GAS
EXPLORATION COMPANYSalt Lake City 2, Utah

Signed

M. Samson LingleyPhone DAvis 2-2583

Agent's title


District GeologistState Lease No. Federal Lease No. Indian Lease No. Fee & Pat. ☒

Sec. & ¼ of ¼	Twp.	Range	Well No.	*Status	Oil Bbls.	Water Bbls.	Gas MCF's	REMARKS (If drilling, Depth; if shut down, Cause; Date & Results of Water Shut-Off Test; Contents of Gas; and Gas-Oil Ratio Test)
NE¼SW¼ Sec. 15	20S	7E	23-15 Behling					Well spudded May 1, 1962. Drilled to 227 feet and abandoned because of structural reasons.

NOTE: Report on this form as provided
for in Rule C-22. (See back of form.)

FILE IN DUPLICATE

*STATUS: F-Flowing P-Pumping GL-Gas Lift
SI-Shut In D-Dead
GI-Gas Injection TA-Temp. Aban.
WI-Water Injection



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION
SALT LAKE CITY, UTAH

Fee and Patented.....☒
State.....☐
Lease No.
Public Domain.....☐
Lease No.
Indian.....☐
Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....		Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....		Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....		Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....		Supplementary Well History.....	
Notice of Intention to Abandon Well.....		Subsequent Report of Abandonment.....	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 14, 1962

* Well No. 23-15 is located 1923 ft. from N line and 2008 ft. from E line of Sec. 15
NE 1/4 Sec. 15 T. 20 S. R. 7 E. S. 1 L.
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Ferron Emery Utah
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5,878.85 feet. (Same as ground elevation)

A drilling and plugging bond has been filed with State Conservation Commission

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Well was spudded May 1, 1962, drilled to a depth of 227' for structural reasons by English Oil Company and abandoned.

* Drilling Unit #15

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company PACIFIC NATURAL GAS EXPLORATION COMPANY

Address 366 South Fifth East Street
Salt Lake City 2, Utah

By

M. Darwin Quigley

Title

District Geologist

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.